Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	5	frame with relay same (atm or cell$1) with conver$5 same (remov$3 or delet$3 or subtract$3) with head$3	USPAT	OR	ON	2005/02/13 09:52
L5	0	atm same (aal0 or aal-0) same (aal5 or aal-5) same (remove$3 or delet$3 or subtract$3) with head$3	USPAT	OR	ON	2005/02/13 10:16
L6	0	(aal0 or aal-0) same (aal5 or aal-5) same (remove$3 or delet$3 or subtract$3) with head$3	USPAT	OR	ON	2005/02/13 10:16
L7	48	((aal0 or aal-0) or (aal5 or aal-5)) same (remove$3 or delet$3 or subtract$3) with head$3	USPAT	OR	ON	2005/02/13 10:16
L8	1	((aal0 or aal-0) or (aal5 or aal-5)) same (remove$3 or delet$3 or subtract$3) with head$3 and (aal0 or aal-0) and (aal5 or aal-5)	USPAT	OR	ON	2005/02/13 10:16
S2	79	atm with hdlc same lan	US-PGPUB; USPAT	OR	ON	2005/01/03 15:33
S3	33	atm with hdlc same lan same hub	US-PGPUB; USPAT	OR	ON	2005/02/10 12:29
S4	21	atm with hdlc same lan same hub	USPAT	OR	ON	2005/02/09 18:18
S5	0	S4 and serial and frame and cell$1	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/02 10:46
S8	15	S4 and packet$3 with serial$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/02 11:10
S9	0	S8 and serial with controller$1	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/02 11:11
S10	1	atm adj2 switch with adapter$ same adapter$1 with serial adj2 controller$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:34

S11		1	(atm adj2 switch with adapter$) same (adapter$1 with serial adj2 controller$)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/02 11:14
S25		0	atm with hdlc same lan same hub and serial adj20 control$4 with (convert or translat$3 or adapt$3) with (cell$1 or fram$3)	USPAT	OR	ON	2005/02/09 18:20
S26		1	atm with hdlc same lan same hub and serial adj20 control$4 with (convert or translat$3 or adapt$3) with (cell$1 or fram$3)	US-PGPUB	OR	ON	2005/02/09 18:20
S27		2	atm with hdlc and lan and hub and serial adj20 control$4 with (convert or translat$3 or adapt$3) with (cell$1 or fram$3)	US-PGPUB	OR	ON	2005/02/09 18:42
S28		0	atm with hdlc and lan and hub and serial adj20 control$4 with (convert or translat$3 or adapt$3) with (cell$1 or fram$3)	USPAT	OR	ON	2005/02/09 18:21
S29		1	atm with hdlc and lan and hub and controller with (convert or translat$3 or adapt$3) with (cell$1 or fram$3) with (packet$ or IP)	US-PGPUB	OR	ON	2005/02/09 18:45
S30		4	atm with hdlc and lan and hub and controller with (convert or translat$3 or adapt$3) with (cell$1 or fram$3) with (packet$ or IP)	US-PGPUB; USPAT	OR	ON	2005/02/09 18:47
S31		0	atm same hdlc and (lan or hub) and controller with (convert or translat$3 or adapt$3) with (cell$1 or fram$3) with (packet$ or IP) and (clock or counter or tim$3) and encod$3 and bit with multicast	US-PGPUB	OR	ON	2005/02/09 18:47
S32		1	atm same hdlc and (lan or hub) and controller with (convert or translat$3 or adapt$3) with (cell$1 or fram$3) with (packet$ or IP)	US-PGPUB	OR	ON	2005/02/09 18:47
S33		3	atm same hdlc and (lan or hub) and controller with (convert or translat$3 or adapt$3) with (cell$1 or fram$3) with (packet$ or IP)	USPAT	OR	ON	2005/02/09 18:48
S34		8	atm and hdlc and (lan or hub) and controller with (convert or translat$3 or adapt$3) with (cell$1 or fram$3) with (packet$ or IP)	USPAT	OR	ON	2005/02/10 12:30
S35		8	S34 not international.as.	USPAT	OR	ON	2005/02/09 18:52

S36	2	S34 and (fcs or frame with sequenc$3 with check)	USPAT	OR	ON	2005/02/09 18:55
S37	2	S34 and frame with check	USPAT	OR	ON	2005/02/09 18:55
S38	1	S34 and packet with check	USPAT	OR	ON	2005/02/09 18:55
S39	2	atm and hdlc and (lan or hub) and (packet$1 or IP) adj20 (convert or translat$3 or adapt$3) adj40 (cell$1 or fram$3) and (fcs or frame with check with bit) and ("16 bits" or sixteen with bits)	USPAT	OR	ON	2005/02/09 19:03
S40	7	atm and hdlc and (packet$1 or IP) adj20 (convert or translat$3 or adapt$3) adj40 (cell$1 or fram$3) and (fcs or frame with check with bit) and ("16 bits" or sixteen with bits)	USPAT	OR	ON	2005/02/09 19:07
S41	5	S40 not (S39 or S35)	USPAT	OR	ON	2005/02/09 19:04
S42	14	atm and hdlc and (packet$1 or IP) adj20 (convert or translat$3) adj40 (cell$1 or fram$3)	USPAT	OR	ON	2005/02/09 19:08
S43	10	S42 not (S40 or S39 or S35)	USPAT	OR	ON	2005/02/09 19:08
S44	10	S43 and hdlc	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 19:09
S45	3	S44 and frame with check	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 19:09
S46	6	S44 and (frame with check or fcs or crc)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 19:17
S48	2	S44 and (frame with check or fcs or crc) and (serial$ adj10 (data or packet or frame))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 19:18
S49	0	atm and hdlc and (lan or hub) and controller with (convert or translat$3 or adapt$3) with (cell$1 or fram$3) with (packet$ or IP) same sequenc$3 same serial$	USPAT	OR	ON	2005/02/10 12:30

S50	0	atm and hdlc and (lan or hub) and controller with (convert or translat$3 or adapt$3) with (cell$1 or fram$3) with (packet$ or IP) same sequenc$3	USPAT	OR	ON	2005/02/10 12:31
S51	2	atm and hdlc and (lan or hub) and controller with (convert or translat$3 or adapt$3) with (cell$1 or fram$3) with (packet$ or IP) and sequenc$3 same serial$	USPAT	OR	ON	2005/02/10 13:47
S52	0	atm and hdlc and (lan or hub) and controller with (convert or translat$3 or adapt$3) with (cell$1 or fram$3) with (packet$ or IP) and sequenc$3 same serial$ and concate$	USPAT	OR	ON	2005/02/10 13:48
S53	0	atm and hdlc and controller with (convert or translat$3 or adapt$3) with (cell$1 or fram$3) with (packet$ or IP) and sequenc$3 same serial$ and concate$	USPAT	OR	ON	2005/02/10 13:48
S54	0	atm and hdlc and controller with (convert or translat$3 or adapt$3) with (cell$1 or fram$3) with (packet$ or IP) and sequenc$3 same concate$	USPAT	OR	ON	2005/02/10 13:49
S55	3	atm and hdlc and controller with (convert or translat$3 or adapt$3) with (cell$1 or fram$3) with (packet$ or IP) and sequenc$3 and concate$	USPAT	OR	ON	2005/02/10 13:52
S57	283	atm same hdlc	USPAT	OR	ON	2005/02/10 17:25
S58	30	atm same hdlc and (ip or packet) with convert$ with (fram$3 or cell$1)	USPAT	OR	ON	2005/02/10 14:14
S59	206	atm and (ip or packet) with convert$ with (fram$3 or cell$1) and (clock or time adj10 pulse or slot or sync) same control$4	USPAT	OR	ON	2005/02/10 14:15
S60	16	atm and (ip or packet) with convert$ with (fram$3 or cell$1) and (clock or time adj10 pulse or slot or sync) same control$4 same request$3 same transmit$3	USPAT	OR	ON	2005/02/10 14:24
S61	9	atm and (ip or packet) with convert$ with (fram$3 or cell$1) and (clock or time adj10 pulse or slot or sync) same control$4 same request$3 and grant$3 and transmit$4	USPAT	OR	ON	2005/02/10 14:25

S62	2	S61 and (fcs or frame adj3 check)	USPAT	OR	ON	2005/02/10 14:31
S63	110	atm and scc and convert$3	USPAT	OR	ON	2005/02/10 14:50
S64	40	S63 and serial$4 with data	USPAT	OR	ON	2005/02/10 14:32
S65	5	S64 and (fcs or frame adj5 check) and sequenc$3	USPAT	OR	ON	2005/02/10 14:32
S66	5	S65 and (sync or clock$3 or tim$3)	USPAT	OR	ON	2005/02/10 14:33
S67	4	S66 and synchron$	USPAT	OR	ON	2005/02/10 14:33
S68	23	atm and scc with serial$3 adj20 control$4 and convert$3	USPAT	OR	ON	2005/02/10 14:51
S69	2	atm and scc with serial$3 adj20 control$4 same convert$3	USPAT	OR	ON	2005/02/10 14:54
S70	2	atm and scc with serial$3 adj20 control$4 same convert$3 and cell$1	USPAT	OR	ON	2005/02/10 14:54
S71	2	S70 and sync$9	USPAT	OR	ON	2005/02/10 14:54
S72	0	S71 and frame with check$3 and sequenc$3	USPAT	OR	ON	2005/02/10 14:55
S73	1	S71 and sequenc$3	USPAT	OR	ON	2005/02/10 15:48
S74	1	S71 and frame with check$3	USPAT	OR	ON	2005/02/10 14:56
S75	0	S71 and fcs	USPAT	OR	ON	2005/02/10 14:55
S76	76	(atm or cross?bar or cross adj2 bar) adj3 switch and control$4 with request$3 adj10 switch and grant$3	USPAT	OR	ON	2005/02/10 15:50
S77	16	(atm or cross?bar or cross adj2 bar) adj3 switch and control$4 with request$3 adj10 switch same grant$3	USPAT	OR	ON	2005/02/10 16:07
S78	9	S77 and scheduler	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 16:09
S79	0	S78 and HDLC and fcs	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 16:09
S80	4	S78 and HDLC	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 16:10

S81	2	S78 and fcs	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 16:11
S82	2	frame with fcs same encod$3 adj5 (("32" or "thirty two" adj2 bit$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 16:12
S83	2	frame with fcs same encod$3 adj5 (("32" or "thirty two" adj2 bit$1))	USPAT	OR	ON	2005/02/10 16:13
S84	0	frame with fcs and encod$3 adj5 (("32" or "thirty two" adj2 bit$1)) same parallel?to?serial	USPAT	OR	ON	2005/02/10 16:14
S85	0	frame with fcs and encod$3 adj5 (("32" or "thirty two" adj2 bit$1)) same parallel?to?serial	US-PGPUB; USPAT	OR	ON	2005/02/10 16:14
S86	0	(frame or cell or packet or data) with fcs and encod$3 adj5 (("32" or "thirty two" adj2 bit$1)) same parallel?to?serial	US-PGPUB; USPAT	OR	ON	2005/02/10 16:14
S87	41	encod$3 adj5 (("32" or "thirty two" adj2 bit$1)) same parallel?to?serial	US-PGPUB; USPAT	OR	ON	2005/02/10 16:17
S88	0	S87 and fcs	US-PGPUB; USPAT	OR	ON	2005/02/10 16:15
S89	0	S87 and atm	US-PGPUB; USPAT	OR	ON	2005/02/10 16:15
S90	0	S87 and hdlc	US-PGPUB; USPAT	OR	ON	2005/02/10 16:15
S91	1	encod$3 adj5 (("32" or "thirty two" adj2 bit$1)) and parallel?to?serial and hdlc and fcs	US-PGPUB; USPAT	OR	ON	2005/02/10 16:18
S92	9	encod$3 adj5 (("32" or "thirty two" adj2 bit$1)) and parallel?to?serial and fcs	US-PGPUB; USPAT	OR	ON	2005/02/10 16:21
S93	8	S92 not S91	US-PGPUB; USPAT	OR	ON	2005/02/10 16:21
S94	7	S92 not S91	USPAT	OR	ON	2005/02/10 16:21
S95	0	S94 and atm with switch	USPAT	OR	ON	2005/02/10 16:21
S96	0	encod$3 adj10 (("32" or "thirty two" adj2 bit$1)) and parallel?to?serial and fcs and atm with switch	US-PGPUB; USPAT	OR	ON	2005/02/10 16:23

S97	0	encod$3 adj10 (("32" or "thirty two" adj2 bit$1)) and parallel?to?serial and fcs and atm with switch	USPAT	OR	ON	2005/02/10 16:22
S98	7	encod$3 adj10 (("32" or "thirty two" adj2 bit$1)) and parallel?to?serial and fcs	USPAT	OR	ON	2005/02/10 16:22
S99	0	S98 not S93	USPAT	OR	ON	2005/02/10 16:22
S100	0	S98 not S94	USPAT	OR	ON	2005/02/10 16:22
S101	0	atm with switch with chip$3 same controller same convert$3 with (cell$1 or frame$1) with (packet$ or frame$1) and synch$9 and schedul$3 and request$3 and grant$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 16:39
S102	0	atm with switch with chip$3 same controller same convert$3 with (cell$1 or frame$1) with (packet$ or frame$1) and synch$9 and schedul$3 and request$3 and grant$3	USPAT	OR	ON	2005/02/10 16:40
S103	1	atm with switch with chip$3 and controller same convert$3 with (cell$1 or frame$1) with (packet$ or frame$1) and synch$9 and schedul$3 and request$3 and grant$3	USPAT	OR	ON	2005/02/10 16:41
S104	0	atm with switch with chip$3 and controller same convert$3 with (cell$1 or frame$1) with (packet$ or frame$1) and synch$9 and schedul$3 and request$3 and grant$3 and fcs	USPAT	OR	ON	2005/02/10 16:41
S105	0	atm with switch with chip$3 and controller and convert$3 with (cell$1 or frame$1) with (packet$ or frame$1) and synch$9 and schedul$3 and request$3 and grant$3 and fcs	USPAT	OR	ON	2005/02/10 16:41
S106	2	atm with switch with chip$3 and controller and convert$3 with (cell$1 or frame$1) with (packet$ or frame$1) and synch$9 and schedul$3 and request$3 and grant$3	USPAT	OR	ON	2005/02/10 16:43
S107	52	atm with switch and controller and convert$3 with (cell$1 or frame$1) with (packet$ or frame$1) and synch$9 and schedul$3 and request$3 and grant$3	USPAT	OR	ON	2005/02/10 16:44

S10 8	5	(atm with switch same chip) and controller and convert$3 with (cell$1 or frame$1) with (packet$ or frame$1) and synch$9 and schedul$3 and request$3 and grant$3	USPAT	OR	ON	2005/02/10 16:44
S10 9	3	S108 not S106	USPAT	OR	ON	2005/02/10 16:45
S11 0	0	S109 and fcs	USPAT	OR	ON	2005/02/10 16:46
S11 1	103	frame with encod$3 same atm	USPAT	OR	ON	2005/02/10 16:46
S11 2	25	frame with encod$3 with bits same atm	USPAT	OR	ON	2005/02/10 16:46
S11 3	2	S112 and hdlc	USPAT	OR	ON	2005/02/10 16:55
S11 4	0	S113 and fcs	USPAT	OR	ON	2005/02/10 16:46
S11 5	3	S112 and fcs	USPAT	OR	ON	2005/02/10 16:51
S11 6	34	dlci same hdlc	USPAT	OR	ON	2005/02/10 16:52
S11 7	15	dlci with hdlc	USPAT	OR	ON	2005/02/10 16:52
S11 8	2	S113 and frame with check	USPAT	OR	ON	2005/02/10 16:56
S11 9	0	S118 and "32" with bits	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 16:57
S12 4	6	atm same hdlc and (request with (multiply or multiplying or multiplied or encod$3))	USPAT	OR	ON	2005/02/10 17:29
S12 5	40	atm same hdlc and (request same (multiply or multiplying or multiplied or encod$3))	USPAT	OR	ON	2005/02/10 17:39
S12 6	0	atm same hdlc and (request same (multiply or multiplying or multiplied) with ("16" or sixteen))	USPAT	OR	ON	2005/02/10 17:31
S12 8	0	atm same hdlc and request with (multiply or multiplying or multiplied) and encod$3 and (crosspoint or cross adj point) and sync$9 and scheduler and grant	USPAT	OR	ON	2005/02/10 17:41

S12 9	0	atm and hdlc and request with (multiply or multiplying or multiplied) and encod$3 and (crosspoint or cross adj point) and sync$9 and scheduler and grant	USPAT	OR	ON	2005/02/10 17:41
S13 0	0	atm and hdlc and request and (multiply or multiplying or multiplied) and encod$3 and (crosspoint or cross adj point) and sync$9 and scheduler and grant	USPAT	OR	ON	2005/02/10 17:41
S13 1	0	atm and hdlc and request and encod$3 and (crosspoint or cross adj point) and sync$9 and scheduler and grant	USPAT	OR	ON	2005/02/10 17:41
S13 2	0	atm and hdlc and request and encod$3 and (crosspoint or cross adj point or cross?bar) and sync$9 and scheduler and grant	USPAT	OR	ON	2005/02/10 17:42
S13 3	0	atm and request and encod$3 and (crosspoint or cross adj point or cross?bar) and sync$9 and scheduler and grant	USPAT	OR	ON	2005/02/10 17:42
S13 4	6	request and encod$3 and (crosspoint or cross adj point or cross?bar) and sync$9 and scheduler and grant	USPAT	OR	ON	2005/02/10 17:43
S13 5	4	request and encod$3 and (crosspoint or cross adj point or cross?bar) and sync$9 and scheduler and grant and (multiply or multiplying or multiplied)	USPAT	OR	ON	2005/02/10 17:43
S13 6	4	request and encod$3 and (crosspoint or cross adj point or cross?bar) and sync$9 and scheduler and grant and (multiply or multiplying or multiplied) and bit$1	USPAT	OR	ON	2005/02/10 17:45
S13 7	6	request and encod$3 and (crosspoint or cross adj point or cross?bar) and sync$9 and scheduler and grant and bit$1	USPAT	OR	ON	2005/02/10 17:46
S13 9	6	request and encod$3 and (crosspoint or cross adj point or cross?bar) and sync$9 and scheduler and grant	USPAT	OR	ON	2005/02/10 17:47
S14 0	12	request and (crosspoint or cross adj point or cross?bar) and sync$9 and scheduler and grant	USPAT	OR	ON	2005/02/10 17:47
S14 1	6	S140 not S139	USPAT	OR	ON	2005/02/10 17:47

S14 2	1	S141 and fcs	USPAT	OR	ON	2005/02/10 17:48
S14 3	7	370/395$.ccls. and scc and request$3 and grant$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 18:17
S14 4	5	("5737312" | "6021135" | "6052375" | "6226264" | "6324176").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/10 17:52
S14 5	6	370/395$.ccls. and scc and request$3 and grant$3 and (memory or memories)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 17:59
S14 6	7	370/395$.ccls. and scc and request$3 and grant$3 and (memory or memories or buffer)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 17:59
S14 7	7	370/395$.ccls. and scc and request$3 and grant$3 and (memory or memories or buffer) not hitachi.as.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 17:59
S14 8	4	370/395$.ccls. and scc and request$3 and grant$3 and (memory or memories or buffer) and encod$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 18:06
S14 9	0	370/395$.ccls. and scc and request$3 and grant$3 and (memory or memories or buffer) and encod$3 and "5991817".pn. and frame$1 and atm	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 18:06
S15 0	1	370/395$.ccls. and scc and request$3 and grant$3 and (memory or memories or buffer) and encod$3 and "5991817".pn. and frame$1	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 18:11
S15 1	1	370/395$.ccls. and ("6789130".pn. or "6516319".pn. or "6675291".pn. or "6341346".pn. or "6426953".pn.)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 18:27
S15 2	4	("5452330" | "5499235" | "5841774" | "5949785").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/10 18:12

S15 5	10	("5553083" | "5574722" | "6177801" | "6285659" | "6301241" | "6389029" | "6389476" | "6504851" | "6538994" | "6587875").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/10 18:15
S15 6	68	"370"/$.ccls. and scc and request$3 and grant$3 not S143	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 18:18
S15 7	2	S156 and fcs and hdlc and encod$3 and ("32" or "thirty two") with bit$1	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 18:20
S15 8	1	S156 and hdlc and encod$3 and ("32" or "thirty two") with bit$1 and atm with switch$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 18:20
S15 9	1	S156 and hdlc and encod$3 with bit$1 and atm with switch$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 18:21
S16 0	1	S156 and hdlc and encod$3 and atm with switch$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 18:21
S16 1	1	S156 and convert$3 with (frame or cell$1) and encod$3 and atm with switch$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 18:21
S18 3	16	(packet$1 or frame$1) with convert$3 with (frame$1 or cell$1) same serial$7 same concat$7	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 14:07
S18 4	11	(packet$1 or frame$1) with convert$3 with (frame$1 or cell$1) same serial$7 same concat$7	USPAT	OR	ON	2005/02/11 14:11
S18 5	0	S184 and atm adj2 switch$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 14:08

S18 6	1	S184 and atm	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 14:08
S18 7	8	(packet$1 or frame$1) with convert$3 with (frame$1 or cell$1) with serial$7 same concat$7	USPAT	OR	ON	2005/02/11 14:11
S18 8	8	(packet$1 or frame$1) with convert$3 with (frame$1 or cell$1) with serial$11 same concat$7	USPAT	OR	ON	2005/02/11 14:12